

IN THE CLAIMS:

Please amend the claims as follows:

5. (Amended) A vector comprising a recombinant DNA molecule of claim 1.

6. (Amended) A host cell containing a vector of claim 5 or a recombinant DNA molecule of claim 1.

7. (Amended) A method for the production of transgenic plants with altered stomata characteristics compared to wild type plants comprising the introduction of a recombinant DNA molecule of claim 1 or the vector of claim 5.

8. (Amended) A transgenic plant cell comprising stably integrated into the genome a recombinant DNA molecule of claim 1 or a vector of claim 5 or obtainable according to the method of claim 7, wherein the expression of the nucleic acid molecule results in an increased expression or activity of subtilisin-like serine proteases in transgenic plants compared to wild type plants.

11. (Amended) A transgenic plant cell which contains stably integrated into the genome a recombinant DNA molecule of claim 1 or part thereof, a vector of claim 5 or obtainable according to the method of claim 7, wherein the presence, transcription and/or

B³
expression of the nucleic acid molecule or part thereof leads to reduction of the synthesis or the activity of subtilisin-like serine proteases in transgenic plants compared to wild type plants.

B⁴
13. (Amended) A transgenic plant or plant tissue comprising the plants cells of claim 11.

B⁵
15. (Amended) The transgenic plant of claim 9, the plant cell of claim 8, or the plant tissue of claim 9, wherein said plant, plant cell or plant tissue is derived from a monocotyledonous or dicotyledonous plant.

B⁶
17. (Amended) Harvestable parts or propagation material of plants of claim 9.

18. (Amended) A kit comprising recombinant DNA molecule of claim 1 or a vector of claim 5.

B⁷
21. (Amended) Use of a nucleic acid molecule encoding or regulating the expression of a subtilisin-like serine protease or a nucleic acid molecule as defined in claim 1, a recombinant DNA molecule of claim 1, or a vector of claim 5 for the production of plants with improved fresh and dry weight, for enhancing the content of sugars and/or protein in plant leaves for the production of plants with reduced leaf temperatures or with reduced water loss and lower water consumption, for the

B7 modification (enhancement) of CO₂ uptake into and H₂O release from leaves, for sustained photosynthesis under high intensity conditions or for the improvement of disease resistance plants.
